King County's Approach to Shoreline Inventory and Characterization

Harry Reinert

Dept. of Development and Environmental Services


Kollin Higgins

Dept. of Natural Resources and Parks

Overview and Timeline

- > 2005-2007 Ecology Grant
- Inventory and characterization 2006-early 2007
- Peer review in September 2006, January 2007
- > Public involvement in winter/spring 2007
- Draft Program in summer 2007
- Ongoing intergovernmental coordination





Public Access Inventory

- 1. Develop criteria to define public access sites
- 2. Compile geographic public access data that intersects shoreline area:
 - Public parks (federal, state, county) showing facilities such as boat launches
 - Public trails
 - Natural resource lands (county-owned)
 - Private properties with public access agreements (current use tax program)
 - Informal access points on public lands

Public Access Analysis

- 1. Identify gaps in public access:
 - Trust for Public Lands "GreenPrint" analysis
 (identifies high priority links between existing parks
 and trails)
 - Visual analysis
 - Professional judgment (natural lands and park managers and staff)
- 2. Identify opportunities for new access points, such as public street-ends or ROW in shoreline area

Historic Resources Inventory

- Map landmarks in shoreline areas
- Describe prehistoric and historic resources by shoreline reach and watershed

Land Use Analysis


- Identify commercial and industrial zones and Comprehensive Plan designations in shoreline areas
- Map parcels with existing commercial uses in shoreline areas
- Categorize type of commercial use as waterdependent, -related or -enjoyment (likely via aerial photo analysis)
- Evaluate relationship of existing water-oriented uses to shoreline designations


Public Facilities Inventory

- Map public facilities in shoreline area:
 - Transportation
 - Stormwater
 - Wastewater
 - Flood management
- Review existing facilities plans
- Evaluate relationship to existing shoreline designations

Shoreline Characterization

- Inventory of shoreline conditions
- Identify ecosystem-wide processes and functions
- Assess ecosystem-wide processes
 - Which ecological functions are present
 - Status healthy, significantly altered, or previously existing but now missing





Process Scales

- Regional at a scale of 100s of miles (e.g., tides, climate, volcanoes)
- Local/landscape at a scale of one mile or less (e.g., bluff erosion, longshore transport, LWD recruitment)
- Finite generally at a scale of several yards (e.g., competition, predation, nutrient uptake)

Ecosystem Process

Stanley et al	PSNERP	Battelle	
LWD	LWD		
Water	Water	Water	
Sediment	Sediment	Sediment	
Phosphorous/	Phosphorous/	Phosphorous/	
Toxins	Toxins	Toxins	
Nitrogen	Nitrogen	Nitrogen	
Pathogens		Pathogens	
		Tidal	
	Tidal Cycle	Encroachment	
	Wave Energy	Wave Energy	
	Food Web		
	Ecological		
		Light Energy	

KC combined the three studies to for its list of processes

Stanley et al	PSNERP	Battelle	KC
LWD	LWD		LWD
Water	Water	Water	Water
Sediment	Sediment	Sediment	Sediment
Phosphorous/	Phosphorous/	Phosphorous/	
Toxins	Toxins	Toxins	Phosphorous
Nitrogen	Nitrogen	Nitrogen	Nitrogen
Pathogens		Pathogens	Pathogens
		Tidal	
	Tidal Cycle	Encroachment	Tidal Cycle
	Wave Energy	Wave Energy	Wave Energy
	Food Web		
	Ecological		
		Light Energy	Light Energy
		X 1) ((e	Toxins


Biological Processes

- King County will not directly address biological processes
 - Difficult to map predation and competition, etc
 - Known biological presence does not equate to unaltered processes (e.g., no fish presence above natural barriers).
- Ecological functions will be addressed indirectly through this analysis.
- KC will map the known distribution of important biological resources separately.

Relied on Stanley et al. 2005 to describe processes

- Processes are broken into 3 portions
 - Delivery
 - Movement


Each of these can have several components



Analytical Framework


- Using Model Builder in ArcGIS 9
- Spatially explicit raster (grid) model
 - All data (points, polygons, arcs) will be converted into a grid format
- > Grid size (or pixel size) will be 25 ft by 25 ft
- Breaking shoreline into 3 types-Marine, Riverine and Lake.
 - 10 processes with 3 shoreline types = 30 models
- Analyzing KC SMA jurisdiction (plus a few other jurisdictions)

Marine LWD Model Example




Model Scoring

- > Each pixel will be scored 0-4 each for Delivery, Movement, & Loss
- > Each model will produce an averaged total score from 0-4 for each pixel
- > Some scoring will only occur on the first shoreline pixel (i.e. LWD-loss)




Model Scoring, cont.


The component part of the model is scored in one of two ways.



LWD-Marine



Delivery LWD-Marine



Movement & Loss LWD-Marine



Large Woody Debris

Delivery Movement = 0Loss

Total Average 1 Delivery Movement = 4Loss


Total Average 4


Movement Loss'

Delivery


- Armored
- · Patchy, separated, not overhanging trees
- No wood accumulations
- Landslide Hazard Area

- Unarmored
- Continuous, adjacent, overhanging trees
- Landslide Hazard Area





Example of the model output-LWD




Data sources that are invaluable or you are only as good as your data...

- > Land Cover
- Impervious Surface
- Shoreline armoring
- > Docks and other overwater structures
- Marine riparian vegetation versus Land Cover
- Agriculture use data
- > Sewered and unsewered areas

Limitations of the Model

- Had to simplify scoring too complex to model on computer
- Lack of lake habitat data using proxies
- Land Cover data, even the good stuff, is still not as accurate as we would like
- Natural variability is not very well described - it is a bit more of assumed uniformity for scoring purposes





Example of U.W. Landcover at Lake Alice

Example of U.W. Landcover with Impervious Surface at Lake Alice



Next steps for the models?

- > Finish running all the models
- Model output will be used in creating environment designations.
- Eventually, plan to use the model to look at cumulative impacts by modifying the data input not the scoring. Likely done by increasing the level of impervious surface or modifying land cover data.
- Considering the use of the pixel score as part of restoration planning - combined with larger scale basin scores (previous effort)